



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MARCH 5, 1878.

The President, Dr. RUSCHENBERGER, in the chair.

Forty-one persons present.

The following papers were presented for publication :—

“Recovery of all the Faculties in a Pigeon from which the Cerebral Hemispheres had been removed.” By J. H. McQuillen, M.D.

“The Electric Constitution of the Solar System.” By Jacob Ennis.

A Hippopotamus Tusk.—Prof. LEIDY stated that in the Mozambique Collection of the International Exhibition, he had noticed a hippopotamus tooth remarkable for its size. It was an inferior canine, with a spiral turn, apparently from impeded growth, perhaps due to the loss of the opposing tooth. It measured 42 inches long in the spiral. The insertion was 16 inches, and the diameter 4 inches.

On Amœba.—Prof. LEIDY remarked that the first notice of an Amœba was of a large species, described by Rösel, under the name of *Proteus*, in the *Insecten-Belustigung*, Nurnberg, 1755. It was called by Linnæus *Volvox chaos* and *Chaos protheus*, and by Pallas *Volvox proteus*, and subsequently by Müller *Proteus diffluens*. As the latter generic name was preoccupied, Bory called the animal *Amiba*. Ehrenberg, in the *Infusionsthierchen*, describes a small species as *Amœba diffluens*, and refers all those previously described to the same. His supposed new and large species, which he describes as *Amœba princeps*, is really the same as Rösel's *Proteus*. The true name of this should be either *Amœba chaos* or *Amœba proteus*, the former according to strict rules of zoological nomenclature, though the latter would appear more appropriate as serving to perpetuate the name given by the discoverer of the first known rhizopod.

Black Barite from Derbyshire.—Prof. GEORGE A. KOENIG communicated the results of an examination made on a specimen labelled “Manganese from Derbyshire,” in the collection of the Academy. The mineral is jet-black in color, exhibiting metallic lustre. Lamellar structure without distinct forms. Strong cleavage. Cleavage pieces gave the angles of barite. Specific gravity = 4.345.

Boiled with hydrochloric acid the black color disappears, leaving a white substance. The analysis gave